

Declaration of conformity

According to EN ISO/IEC 17059-1:2010

Number	Manufacturer		
2220/08/2020	TOPWET s.r.o., náměstí Viléma Mrštíka 62, 664 81 Ostrovačice, Czech Republic		
Declaration subject			
Round safety overflows TOPWET TWPP and TWPP MINI with integrated sleeve			
Type	☐ TWPP 50 ____	☐ TWPP 75 ____	☐ TWPP 110 ____
	☐ TWPP MINI ____		☐ TWPP 125 ____
The subject of declaration described above is in conformity with requirements			
EN 1253-2:2016 - Gullies for buildings - Part 2: Roof drains and floor gullies without trap			

Additional information |

a. Basic technical parameters

1. Dimensions DN: DN50, DN70, DN100, DN125, DN40 (version MINI)
2. Purpose: drainage of flat roofs, terraces and balconies
3. Material: polyamide PA6/PVC – UV Stabil
4. Integrated connection sleeve
BIT – modified bitumen strip SBS, PVC – mPVC based foil, TPO – thermoplastic (flexible) polyolefin, EPDM – synthetic rubber foil, PE – polyethylene foil, STE – a sleeve for connecting of waterproofing screed
5. Colour: white

b. LGA QualiTest GmbH, Dreikronenstrasse 31, 97082 Würzburg,
test report nr. 60140093 issued on 21.06.2019

c. Certification ISO 9001:2015 nr. 50074/A/0001/UK/Cz issued on 18. 7. 2017
by URS United Registrar of Systems Czech s.r.o.,
PSN House, Argentinská 286/38, 170 00 Praha 7

d. Conformity assessment was executed by internal inspection within
the scope of established production management system



[Signature]
Tomáš Kunst | CEO

In Ostrovačice on 01. 08. 2020